

Message

From: Hunderman, Kyle [khunderman@redcedargathering.com]
Sent: 11/5/2019 6:39:50 PM
To: Law, Donald [Law.Donald@epa.gov]
CC: Smith, Claudia [Smith.Claudia@epa.gov]; Hinkley, Ethan [Ehinkley@redcedargathering.com]
Subject: FW: South Ignacio Part 70 Renewal
Attachments: 191105_SOU_T5_Renewal App.pdf

DJ,

Today I submitted the attached part 70 operating permit renewal application to the SUIT AQP which is based upon finalization of our requested revisions to permit #SMNSR-SU-000013-2016.003. Please let me know if it appears issuance of the SMNSR revision may be delayed beyond January 23, 2020, in which case I'll need to either compile and submit a new part 70 operating permit renewal application or come to a different agreement with the APQ.

Thanks,

Kyle Hunderman



Environmental Compliance Specialist II – Air Quality
970•764•6921 | office
970•749•9468 | mobile

From: Hunderman, Kyle
Sent: Tuesday, November 5, 2019 11:31 AM
To: airquality@southernute-nsn.gov (airquality@southernute-nsn.gov) <airquality@southernute-nsn.gov>
Cc: r8airreportenforcement@epa.gov; Hinkley, Ethan (Ehinkley@redcedargathering.com) <Ehinkley@redcedargathering.com>
Subject: South Ignacio Part 70 Renewal

To Whom it May Concern,

Attached is the Part 70 permit renewal application for Red Cedar's South Ignacio Central Delivery Point (V-SUIT-0031-2015.01). Please be aware that, as described in the attached application and at EPA's recommendation, this part 70 operating permit renewal application has been prepared with our requested revisions to permit #SMNSR-SU-000013-2016.003 in place. If you have any questions or need any additional information please don't hesitate to contact me.

Thanks,

Kyle Hunderman



Environmental Compliance Specialist II – Air Quality
970•764•6921 | office
970•749•9468 | mobile

